

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1378	(714/4.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:48
L2	436	(714/13.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 13:10
L3	693	(714/43.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:44
L4	8	(candera\$).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:43
L6	224	(714/12.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:44
L7	16	(fail\$over or failover or (fail adj over)) adj1 set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:42
L8	3	7 same ((storage adj area adj network) or "SAN")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:42
L9	197	(fail\$over or failover or (fail adj over)) same ((storage adj area adj network) or "SAN")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:05

L10	36	9 and ("714"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:57
L11	59	9 and ("709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:04
L12	1510	(backup or back-up or back\$1up or (back adj up) or redundan\$4 or alternate or primary or second\$4 or master or slave) same (storage adj area adj network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:14
L13	283	(fail\$over or failover or (fail adj over)) and ((storage adj area adj network) or "SAN") and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:18
L14	209	12 and 13 and ((fault\$3 or error\$3 or fail\$4 or malfunction or problem) same (detect\$4 or track\$3 or monitor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:18
L15	81	14 and (starup or power-up or power-on or initializ\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:23
L16	1	15 and homogeneous and (synchroniz\$3 with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:22
L17	2	14 and (starup or power-up or power-on or initializ\$4 or boot\$4) and (policy adj manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:29

L18	0	14 and (starup or power-up or power-on or initializ\$4 or boot\$4) and (policy or policies) and synchroniz\$4 and integrt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:31
S1	318	(meyer-richard\$ or gajjar-kumar\$ or ng-chan\$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:33
S2	16	(fail\$1over or failover or (fail adj over)) adj1 set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:30
S4	16	(backup or back-up or back\$1up or (back adj up) or redundan\$4 or alternate or primary or second\$4 or master or slave) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:58
S5	1507	(backup or back-up or back\$1up or (back adj up) or redundan\$4 or alternate or primary or second\$4 or master or slave) same (storage adj area adj network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:59
S6	52	(fail\$1over or failover or (fail adj over)) same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S7	548	(714/11.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:26